Usage of customer-owned tracking devices onboard of Lufthansa Cargo and Lufthansa Group Airlines flights

General

Lufthansa Cargo and the airlines of the Lufthansa Group, Lufthansa, Austrian Airlines, Swiss Brussels Airlines and Aerologic, allow the usage of certain Customer-owned Cargo Tracking Devices being sent along with their shipments on our global network.

Please note that if a device has been approved by Lufthansa Cargo, this approval is valid for all Lufthansa as well as Lufthansa Cargo flights and also for all SN Brussles, Discover Airlines, Sun Express, ITA Airways and Air Dolomiti flights.

Cargo Tracking Devices are Personal Electronic Devices (PED) attached to or transported in airfreight with the purpose of monitoring location and/or various parameters, such as temperature, vibration, humidity. The device may transmit these parameters remotely by means of radio frequency emissions. Devices that do not actively transmit data are defined as "loggers" and subject to the same regulations.

As all of these devices remain switched on during flight, a technical evaluation by the operator is required. Data transmission must be suspended and disabled during flight in order to comply to air safety regulations.

Non-intentionally transmitting devices powered by coin cells are per EASA AIR OPS GM1 CAT.GEN.MPA.140 (b) in a switched-off status – and are therefore permitted for usage on the Lufthansa Group Fleet without further assessment.

According to the new ICAO rules, trackers are now^{*} allowed if the batteries do not exceed a lithium content of 0.3 grams. In addition, an output of 2.7 watt hours (Wh) must not be exceeded. The devices must still be protected from damage. All these criteria apply to common batteries such as CR2032 button cells, which are used in AirTags or comparable trackers.



Contact

Our customers are obliged to inform us about their intent of using Customer-owned Cargo Tracking Devices being sent along with their shipment. Please do this by activating the tick box "Realtime tracking" during the online booking process.

Should you have any questions regarding the requirements on how to book a cargo tracking device with your Lufthansa Cargo or Lufthansa Group airlines shipment, please contact your respective local sales representative.

For technical questions about the devices, please contact the respective manufacturer.

If you are interested in approvals for tracking devices other than listed here, please contact your local sales representative the required documents are listed on our website.

Guideline

The following listed devices are accepted to be used aboard our airlines as depicted. The devices are not approved for transportation on interline routings with other carriers. Lufthansa Cargo and Lufthansa Group airlines will not be responsible for damages or losses of any tracking device in transit.

Lufthansa Cargo and Lufthansa Group airlines are constantly assessing new cargo tracking devices for usage aboard their aircraft and will update its list of approved devices here.

Concessions to use the listed devices are based upon current provisions and can be revoked at any time.

Kindly observe following general guidelines concerning your cargo tracking devices:

- Tracking devices have to be maintained in a good and safe condition in order to avoid a modification to its emission characterization and to avoid a fire hazard through its batteries
- Consider IATA guidelines "Battery powered Tracker"
- New devices can only be approved prior to technical assessment of Lufthansa Cargo and Lufthansa Group airlines
- Hard- and software changes on already approved devices have to be reported to local sales
- All devices must be securely enclosed within the shipment

Cargo Tracking Device Manufacturer Designation	Approved Lufthansa Cargo	Approved Austrian Airlines	Approved Swiss Airlines Edelweiss	Approved Aerologic
7P Solutions	√ ∗1	✓ *1	√ *2	√ ∗3
GD 100, GL 200 ² , GL 300, GL 300W	▼ ⊥	• I	• 2	• 5
GL300MG		✓ *4		
GL521	\checkmark	√ *5		\checkmark
Adapt Ideations Kelvin & Track IT	\checkmark	√ *5	\checkmark	
Proton Series S100/S200/S300/M100/WHO	\checkmark	\checkmark		
Kelvin Series S100 / M200 / M300	\checkmark			
Airgain NL-AT-FLIGHT	\checkmark			
- Alomind Labs Private Limited -Zion Go; -Zion Go+	\checkmark	\checkmark		
Zion Lite; Zion Lite +		\checkmark		
Aspion G-Log, G-Log 2, G-Log waterproof	\checkmark	\checkmark	\checkmark	
Avius ULD Avivus Smart ULD				√
BeOn A1	\checkmark	\checkmark	\checkmark	
Berlinger SmartMonitor Ship S	\checkmark	\checkmark		
SmartMonitor Ship M	\checkmark	√ *5	\checkmark	
SmartMonitor Ship L	\checkmark	✓ *5	\checkmark	
Berlinger Q-tag CLm doc	\checkmark	\checkmark	\checkmark	
Bosch Basic Sense Type S, Type T,	\checkmark	\checkmark	\checkmark	
Basic Sense I ³		\checkmark	\checkmark	
TDL140 ^{3,5} ,			\checkmark	
TDL110 ⁴	\checkmark		\checkmark	
CalAmp SC1004**, STAG04HT	\checkmark	\checkmark	\checkmark	
SC1102	\checkmark	\checkmark	√ *6	
SC1100/SC1302	\checkmark			
SC1204				\checkmark
CargoSense Toshiba Environmental Logger	\checkmark		\checkmark	
CartaSense U-Sensor	\checkmark	\checkmark	\checkmark	
O-Sensor	\checkmark	\checkmark	\checkmark	
Celsitech Instruments LLP CelsiLog-PS21	\checkmark			

< 1min, Minimum TX Altitude (SFAlt) <2000m, Maximum TX Speed (SFSpeed) <100 km/h

2 7P Solutions GL 200 not permitted to be used aboard of Swiss flights

2 /P Solutions GL 200 not permitted to be used aboard of Swiss flights 3 GL200 not approved on Aerologic 4 AUA also approved on Aerologic 5 Device only approved on Austrian Airline flights for COVID-19-Shipments upon request. Please contact cargomanager@austrian.com for individual approval. (Devices >100mW are not permitted on OS B767 fleet operated flights, a case-by-case assessment is therefore required to ensure requested route will not be operated with OS B767) 6 Not permitted on OS 767 Aircrafts 7 Kindly refer to https://www.swissworldcargo.com/en/activetrackingdevices for further important information

Cargo Tracking Device Manufacturer Designation	Approved Lufthansa Cargo	Approved Austrian Airlines	Approved Swiss Airlines Edelweiss	Approved Aerologic
Chorus Scout DOS			\checkmark	
Scout V2, Scout 3.0		✓ *5		
Controlant				
CO 10.01, Saga	\checkmark	√ *5	√ *7	\checkmark
Saga H, Saga P	\checkmark	\checkmark		\checkmark
Saga Card	\checkmark	√ *5		
Copeland Go Real-Time XL 4G/5G-LT	\checkmark			
DHL Smart Sensor RFID	\checkmark			
Descartes CoreInsight Standard Tag SDT001, PLT001	\checkmark			
DeltaTrack Inc. FlashLink Dry Ice USB PDF In-Transit Logger (Models of 407xx Series); FlashLink NOW; FlashLink Air; 22493, 40050	\checkmark			
ECOPLAST Industries PVT LTD ECOLOG-1	\checkmark			
ECS GWS-CSCG Logistic Monitoring Gateway	\checkmark	√ *5		
Elpro	\checkmark	\checkmark	√ *7	
LIBERO CB, CD, CE, CH, CI, CL, CS LIBERO GE, GF, GH, GL, GS	\checkmark	√ *5	✓ *7	
Elitech LogET 1	√ √	√		
- RC-17,RC-5,Tlog 10, Tlog 100, TinyUSB-10, LogEt1	\checkmark	\checkmark		
Glog 5		\checkmark		
Emerson Electric Co. Go Real-Time 4G/5G, XL 4G/5G (Reusable)	\checkmark	\checkmark	\checkmark	
Emerson GO Real-Time 4G/5G Global Emerson GO Real-Time 4G/5G Global Plus GO PDF Mini; XpressPDF	~			
Freight Logger FreightLogger Mk1	\checkmark			
Frigga Frigga V5 Series / Frigga T7 / M / U1 / Smart Tag	\checkmark			
Fujita KT-295 UGX	\checkmark			

5 Device only approved on Austrian Airline flights for COVID-19-Shipments upon request. Please contact cargomanager@austrian.com for individual approval. (Devices >100mW are not permitted on OS B767 fleet operated flights, a case-by-case assessment is therefore required to ensure requested route will not be operated with OS B767) 7 Kindly refer to https://www.swissworldcargo.com/en/activetrackingdevices for further important information

8 AWB must include statement "Not restricted as per special provision A123."

Cargo Tracking Device Manufacturer Designation		Approved Austrian	Approved Swiss Airlines	Approved
	Cargo	Airlines	Edelweiss	Aerologic
GEGO Global Tracker V1, V1W	\checkmark			
GEO Single Use IoSC Egde (V2)	\checkmark	√ *5		
Digital matter Griffi-Air	\checkmark			
Hanhaa ParceLive	\checkmark	√ *5	\checkmark	
HERE Technologies HERE Premier Tracker	\checkmark	√ *5	\checkmark	\checkmark
Hive-Zox BEEcon	√		\checkmark	
BEEconloT with Probe	✓	√ *5	\checkmark	
BEEconloT		√ *5	√ *8	
Honeywell RTHAL-C1, 3G-ST-THALP-1	\checkmark		√ *7	
BluTag 360	\checkmark	\checkmark	\checkmark	
Hyunsung Co., Ltd. Smart Label HS-SL815	\checkmark	√ *5		
Intelyt iCHIME, iTAG	\checkmark	\checkmark	\checkmark	\checkmark
In Virtus Technologies ivTrackEvo; ivTrackNano				\checkmark
i Traq iTraq Butterfly	\checkmark	√ *5	\checkmark	
Kirsen Global Security Schenker Smartbox A-Type	\checkmark	√ *5	\checkmark	
LivingPackets France The Box L V2; Pro, taille S,M,L,XS, XXS; Tablet V2				\checkmark
Loco HGR 4				\checkmark
Logmore TAG Sensor	\checkmark			
Data Logger 10/20/30/40/50/60	\checkmark			
LogTag Recorders Ltd. LogTag TRIX-8, TRIX-16, USRIC-16	\checkmark			\checkmark
LogTag EV-16, USRIC-8,	\checkmark	\checkmark		\checkmark
Mettemp MT-2, MT-5	\checkmark			

Cargo Tracking Device Manufacturer Designation	Approved Lufthansa Cargo	Approved Austrian Airlines	Approved Swiss Airlines Edelweiss	Approved Aerologic
Modum MODsense T	\checkmark	\checkmark	\checkmark	
Moeco loT Inc. MGT1301; MGT1302	\checkmark			
Moog Sense Aware 3000, ILC 3000	\checkmark	√ *5	\checkmark	
Murata Manufactoring Co.,Ltd. muRata LBBC0ZZ2AM-690		\checkmark		
MSR Electronics MSR 63, 64, 83, 84, MSR 145B4, MSR 145B7, 145B8, 145B15, 145B16,	\checkmark	\checkmark		
MSR165B8, MSR175B16T2AA5 MSR175B16T6H3P5AA5L2 175B56T6H3P5AA5L2G, MSR175plus	\checkmark			\checkmark
OnAsset Sentinel 100, 100A, 100B, 100L, 100P, 100S	\checkmark	√ *5	\checkmark	
Sentry 500	\checkmark	√ *5	\checkmark	\checkmark
Sentry 600 Flight Safe	\checkmark	\checkmark	\checkmark	\checkmark
Sentinel FLEX Label	\checkmark			
Onset Computer Corporation InTemp CX 501, CX502, CX503	\checkmark	√ *5	\checkmark	
InTemp CX402, CX405, CX602, CX603, CX702, CX703	\checkmark			
InTemp CX 600, InTemp CX700		\checkmark		
Qualcomm QTS110; QTS112	\checkmark			
Reelables Inc. A-Label	\checkmark			
Roambee *7 BeeBeacon	\checkmark	\checkmark		
BeeSense Modbus (BL-MOD-3)	\checkmark	√ *5		\checkmark
BeeAir, Beacon Plus		\checkmark	\checkmark	
Plus Probe VOC	/	√ 	\checkmark	
BeeSense (RMBU_3GTR)	√ 	√ *5	√ 	
BeeSense Flex (BNG500M)	\checkmark	√ *5	\checkmark	\checkmark
BeeLabel	\checkmark			√
BeeSense Air				
SAS Tracker STRACKER PT35	\checkmark	√ *5	\checkmark	
SENCIUS TECHNOLOGIES Tempnote®V1, Lite V2.0, T32SU, T32, TH32	\checkmark	\checkmark	\checkmark	\checkmark
Sendum PT300D	\checkmark	√ *5	\checkmark	

Cargo Tracking Device	Approved	Approved	Approved	Approved
Manufacturer Designation	Lufthansa Cargo	Austrian Airlines	Swiss Airlines Edelweiss	Aerologic
SenseAware				
SA3000, PT300D*5	\checkmark	\checkmark	√	
SenseAware 4000, M4	\checkmark	√ *5	\checkmark	\checkmark
SenseAware ID	\checkmark	√ *5	\checkmark	\checkmark
Sensire	\checkmark	√ *5		
TSN Prop	v	v "5		
Sensitech TempTale Geo Ultra (TT11012990)	\checkmark	√ *5	√	\checkmark
TempTale Ultra Multi-Use (T11012940)	\checkmark	\checkmark		
TempTale Ultra 16K, 64K, Fit, Dry Ice Probe, Probe, Humidity, Ultra BIO TagAlert NFC T11012870 TempTale Ultra Dry Ice Ambient (T11012800) TempTale GEO Ultra 16K AMBIENT (T11012570)	\checkmark	\checkmark		
TempTale Geo X, XE, XP, XEP	\checkmark	√ *5		\checkmark
TempTale Geo Ultra Dry Ice (T11013070); VizComm View Ultra (T11013050)	\checkmark	√ *5	√	\checkmark
TII013060				
VaxAlert	\checkmark			
Sensolus	\checkmark			
Track 1101 IF	v			
SensosLabz.io Ltd Sensos Tracking Label Gen 2.0	\checkmark	√ *5	\checkmark	
Shenzhen Minew Technologies Co. Ltd.	\checkmark			
D15N Shenzhen Yesss Technology Co. Ltd.				
Type AC S1; Type AC S2 Shipit.to				
SIT1002	\checkmark	√ *5	\checkmark	
SkyCell Savy Sensor (Model 800) SECURE Live MR Logger (810,811,812)	\checkmark	√ *5	\checkmark	
Sony Visilion Mobiam Tracker	\checkmark			
Vislion Tracker G100 (VT-G100)	\checkmark	√ *5		
Sensos Smart Label Gen 1.0	\checkmark			
Space BD Inc. DS1992L/TR-71nw	\checkmark			
Stefanelli Enterprises Temp-Tock D Temp-Tock A	\checkmark			

Cargo Tracking Device Manufacturer Designation	Approved Lufthansa Cargo	Approved Austrian Airlines	Approved Swiss Airlines Edelweiss	Approved Aerologic
System Loco Loco Tag E4BL	\checkmark	\checkmark		
HGR4	\checkmark			
HGD4	\checkmark	√ *5		
E4BL	\checkmark			
Swissairtainer SAT RKN Active ULD				\checkmark
Tag-n-Trac Tac-n-Trac SLB1	\checkmark	\checkmark	\checkmark	
Smart Sense Tag ST100	\checkmark			
SSL300/SSL100-SU	\checkmark	\checkmark		
ST300	\checkmark	\checkmark		
SMM300; ST300Air; SAM500		\checkmark		
Tec4Med Smart Beacon, Temp Beacon, CyroBeacon	\checkmark	\checkmark	√	
Smarthub, Smartlock	\checkmark	√ *5		
Tempmate GmbH tempmate S1 V2	\checkmark	\checkmark	\checkmark	
Tempmate-S2	\checkmark			
Tempmate GmbH tempmate S1 V2	\checkmark	\checkmark	\checkmark	
Tempmate-S2	\checkmark			
TempSen ITAG4, Bio, TH, SP, Tempod 30, 50X, 90S, 100X, 200X, 20B, 50XB, 100XB, 200XB, Alpha TH30		\checkmark		
G100				\checkmark
ITAG3 Pro, ITAG4 SP, ITAG4, Tempod 200XB, Tempod 100XB, Tempod 90S	\checkmark			
Theftex GmbH Thingfox T2	\checkmark			\checkmark
Tive TT-4000 (Flagship)	\checkmark	√ *5	\checkmark	
TT-6000	\checkmark	\checkmark		
TT-7000 (Solo 5G), TT7100 (Non- Lithium)	\checkmark	√ *5	\checkmark	\checkmark
TT-8000; TT-8100	\checkmark			
TT-9100; TT-9110	\checkmark	√ *5		



Cargo Tracking Device Manufacturer Designation	Approved Lufthansa Cargo	Approved Austrian Airlines	Approved Swiss Airlines Edelweiss	Approved Aerologic
ToolLive	\checkmark	\checkmark	\checkmark	
Trackonomy FBB-2000	\checkmark	√ *5	\checkmark	
FWB-2000	\checkmark	\checkmark	\checkmark	
FWB-2001	\checkmark	\checkmark		
FBO-2001	√	√ *5		
TSS TempTracer 2,3, Humidity, BLE, WebLogger, II, Dry Ice	\checkmark	\checkmark	\checkmark	
T-Systems ECD ECD Solid II	\checkmark	\checkmark		
Tzone Digital Technology TempU08, TT19, TempU02, TempU04	\checkmark			
Versa Versa 1	\checkmark	√ *5	\checkmark	
XSense LTD HiTag2.0	√			
HiTag2 FM				
Zebra ZS300	\checkmark			
zLogg LLC Z1 Series (e.g. z1LcdMu, Z1H)	\checkmark			