

The image shows the interior of a large cargo aircraft. The perspective is from the front of the hold looking down a long, straight aisle. On both sides of the aisle, there are rows of metal pallets, each loaded with a white, rectangular container. The containers are stacked and secured. The floor is a light-colored metal grating. The walls and ceiling are white and feature a complex network of structural beams and recessed lighting fixtures. At the far end of the hold, a bright light source, possibly a door, is visible, creating a strong perspective effect.

Paletten, Container und Flotte.
Pallets, containers and fleet.



Lufthansa Cargo
Networking the world.



Ihre Fracht, Ihr Tempo, Ihr Ziel. Networking the world.

Ihr schnellster und sicherster Weg auf die Weltmärkte ist unser globales Netzwerk: Mit einem Umsatz von 4,6 Milliarden Euro und einer Transportleistung von 7,2 Milliarden Frachttonnenkilometern im Jahr 2022 ist Lufthansa Cargo eines der weltweit führenden Unternehmen im Transport von Luftfracht. Als Ihr Partner für umfassende Logistiklösungen bringen wir Ihre Fracht an 300 Zielorte in rund 100 Ländern – zuverlässig und unkompliziert.

Wie Ihre Logistikanforderungen auch aussehen, wir haben die passenden Produkte parat: Bringen Sie z.B. hochwertige Pharmaprodukte mit höchster Zuverlässigkeit, Turnierpferde ganz entspannt oder Temperaturempfindliches gut gekühlt ans Ziel – mit unseren maßgeschneiderten, nach Ihren Bedürfnissen kombinierbaren Transportlösungen.

Neben unseren eigenen Frachtern bieten wir Ihnen die Belly-Kapazitäten der Passagiermaschinen unserer Partner sowie einen umfangreichen Road Feeder Service an. Inklusive mehr als 30 verschiedenen ULD-Typen – von Standard-Paletten und -Containern über ULDs für Tiere bis zu speziellen Heiz- und Kühlcontainern für temperatursensible Fracht.

Den schnellen Überblick über alle verfügbaren Flugzeugtypen, Container und Paletten finden Sie auf den folgenden Seiten.

Noch Wünsche? Sprechen Sie uns an – wir helfen Ihnen gerne mit individuellen Transportlösungen weiter.

Ihr Lufthansa Cargo Team



Your cargo, your speed, your destination.

Networking the world.

Our global network is your fastest and safest route to the world's markets: With revenue of 4.6 billion euros and a transport performance of 7.2 billion freight ton kilometers in 2022, Lufthansa Cargo is one of the world's leading companies in the transport of airfreight. As your partner for comprehensive logistics solutions, we deliver your cargo to over 300 destination in more than 100 countries – with straightforward reliability.

No matter what your logistics requirements may be, we have the right products for you: Whether you need your premium pharmaceuticals to reach their destination as reliably as possible, your show horses to be relaxed on arrival or your temperature-sensitive products to stay cool throughout their journey – our tailored transport solutions can be combined to suit your needs perfectly.

In addition to our own freighters, we also offer the belly capacities of our partners' passenger aircraft, as well as a comprehensive Road Feeder Service. Including more than 30 different ULD types – from standard pallets and containers to ULDs for animals and special heating and cooling containers for temperature-sensitive cargo.

You will find a quick overview of all available aircraft types, containers and pallets in the following pages.

Any requests? Contact us – we will be happy to help you with customized transport solutions.

Your Lufthansa Cargo Team

Übersicht | Overview

Intro Intro	1-3
Paletten Pallets	4-6
Container Containers	7-22
Flotte Fleet	23-32

Interesse? Any questions?

Alle weiteren Informationen finden
Sie online unter: lufthansa-cargo.com

All further information can be
found at lufthansa-cargo.com






Paletten | Pallets

Seiten | Pages 4-6

Paletten | Pallets

PAG, PAJ – Standard-Palette 88" | Standard 88" pallet


Verladbar in/Loadable in **B777/F, B747, B767, B787, A321/F, A330, A340, A380**



Größe (L x B)	318 x 224 cm	Dimensions (L x W)	125 x 88 in
Nutzbarer Ladebereich (L x B)	304 x 210 cm	Usable loading area (L x W)	120 x 83 in
Standardgewicht exkl. Palettennetz	93 kg	Standard weight excl. pallet net	205 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes

PMC – Standard-Palette 96" (10-Fuß-Palette) | Standard 96" pallet (10-ft pallet)


Verladbar in/Loadable in **B777/F, B747, B767, B787, A330, A340, A380**




Größe (L x B)	318 x 244 cm	Dimensions (L x W)	125 x 96 in
Nutzbarer Ladebereich (L x B)	304 x 231 cm	Usable loading area (L x W)	120 x 91 in
Standardgewicht exkl. Palettennetz	101 kg	Standard weight excl. pallet net	222 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes

PLA, PLW – Palette mit Seitenerweiterung 60,4" (PLW) | 60.4" pallet with side extensions (PLW)


Verladbar in/Loadable in **B777, B747, B787, A330, A340, A350, A380**




Größe (L x B)	PLA 317 x 153 PLW 318 x 154 cm	Dimensions (L x W)	PLA 125 x 60 PLW 125 x 60 in
Nutzbarer Ladebereich (L x B)	304 x 140 cm	Usable loading area (L x W)	120 x 55.4 in
Größe der Seitenteile (L x B)	56 x 48 cm	Dimensions of extension (L x W)	22 x 19 in
Standardgewicht inkl. Palettennetz	PLA 101 PLW 128 kg	Standard weight incl. pallet net	PLA 223 PLW 282 lbs
Max. Bruttogewicht	3.175 kg	Max. gross weight	7,000 lbs
Tragfähigkeit pro Seitenteil (nur PLW)	350 kg	Capacity per extension (only PLW)	770 lbs
Zertifizierung	Ja (für Palette)	Certification	Yes (for pallet)

PKC – Palette 60,4" | 60.4" pallet**Verladbar in/Loadable in** A320, A321, A321/F, A330, A340, A350, A380, B777, B787

Größe (L x B)	156 x 153 cm	Dimensions (L x W)	61.5 x 60.4 in
Standardgewicht inkl. Palettennetz	33 kg	Standard weight incl. pallet net	177 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Max. Bruttogewicht für A320	1.134 kg	Max. gross weight for use on A320	2,500 lbs
Zertifizierung	Ja	Certification	Yes

PZA – 16-Fuß-Palette | 16-ft-pallet**Verladbar in/Loadable in** B777F (nur Hauptdeck/main deck only)

Größe (L x B x H)	498 x 244 x 6 cm	Dimensions (L x W x H)	196 x 96 x 2 in
Nutzbarer Ladebereich (L x B)	485 x 231 cm	Usable loading area (L x W)	191 x 91 in
Standardgewicht inkl. Palettennetz	452 kg	Standard weight incl. pallet net	996 lbs
Max. Bruttogewicht	11.340 kg	Max. gross weight	25,000 lbs
Zertifizierung	Ja	Certification	Yes

PGE – 20-Fuß-Palette | 20-ft pallet**Verladbar in/Loadable in** B777F (nur Hauptdeck/main deck only)


Größe (L x B x H)	606 x 244 x 6 cm	Dimensions (L x W x H)	238.5 x 96 x 2 in
Nutzbarer Ladebereich (L x B)	593 x 231 cm	Usable loading area (L x W)	233 x 91 in
Standardgewicht inkl. Palettennetz	539 kg	Standard weight incl. pallet net	1,188 lbs
Max. Bruttogewicht	11.340 kg	Max. gross weight	25,000 lbs
Zertifizierung	Ja	Certification	Yes



Container | Containers

Seiten | Pages 7-22

Container | Containers




AAY – Standard LD7 Container | Standard LD7 container

Verladbar in/Loadable in

Hauptdeck/Maindeck: A321/F, B777/F

Außenmaß (L x B x H)	318 x 224 x 208 cm	External dimensions (L x W x H)	125 x 88 x 82 in
Innenmaß (L x B x H)	302 x 210 x 208 cm	Internal dimensions (L x W x H)	118.9 x 82.6 x 81.8 in
Türöffnung (B x H)	288 x 173 cm vollständig geöffnet	Door opening (L x H)	113.4 x 68 in fully opened
Ladevolumen ¹	11,9 m ³	Shipping volume ¹	420 ft ³
Standardgewicht	227 kg	Standard weight	500 lbs
Max. Bruttogewicht	6.033 kg	Max gross weight	13,300 lbs
Zertifizierung	Ja	Certification	Yes



AKE – Lightweight LD3 Container | Lightweight LD3 container

Verladbar in/Loadable in

B777/F, B747, B767, A330, A340, A350, A380, B787


Außenmaß (L x B x H)	156 x 153 x 163 cm	External dimensions (L x W x H)	61.5 x 60.4 x 64 in
Innenmaß (L x B x H)	142 x 139 x 157 cm	Internal dimensions (L x W x H)	55.9 x 54.7 x 61.8 in
Aufbau Außenmaß (L x B)	201 x 154 cm	External dimensions of shell top (L x W)	79 x 60.4 in
Aufbau Innenmaß (L x B)	195 x 140 cm	Internal dimensions of shell top (L x W)	77 x 55.4 in
Türöffnung (B x H)	141 x 150 cm	Door opening (W x H)	55.5 x 59.1 in
Ladevolumen ^f	Ca. 3,8 m ³	Shipping volume ^f	Approx. 134 cu.ft
Standardgewicht	84 kg	Standard weight	185 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Zertifizierung	Ja	Certification	Yes

Container | Containers

AKH – LD3-45 Container | LD3-45 container

Verladbar in/Loadable in

A320, A321, A321/F, also possible on all LD3 positions in other aircraft, except B777/F, but opposite LD3 position must stay empty.




Außenmaß (L x B x H)	156 x 153 x 115 cm	External dimensions (L x W x H)	61.4 x 60.2 x 45 in
Innenmaß (L x B x H)	142 x 139 x 109 cm	Internal dimensions (L x W x H)	55.9 x 54.7 x 43 in
Aufbau Außenmaß (L x B)	244 x 154 cm	External dimensions of shell top (L x W)	96 x 60.2 in
Aufbau Innenmaß (L x B)	239 x 140 cm	Internal dimensions of shell top (L x W)	94 x 55.4 in
Türöffnung (L x B)	142 x 104 cm	Door opening (L x H)	56 x 41 in
Ladevolumen ^f	Ca. 3,4 m ³	Shipping volume ^f	Approx. 120 cu.ft
Standardgewicht	84 kg	Standard weight	185 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Zertifizierung	Ja	Certification	Yes

AKW – LD3-45 Wertfracht-Container^{b, d} | LD3-45 valuable cargo container^{b, d}

Verladbar in/Loadable in

A320, A321, also possible on all LD3 positions in other aircraft, except B777/F, but opposite LD3 position must stay empty.




Außenmaß (L x B x H)	157 x 154 x 115 cm	External dimensions (L x W x H)	61.5 x 60.4 x 45 in
Innenmaß (L x B x H)	142 x 140 x 109 cm	Internal dimensions (L x W x H)	55.9 x 55 x 43 in
Aufbau Außenmaß (L x B)	244 x 154 cm	External dimensions of shell top (L x W)	96 x 60.4 in
Aufbau Innenmaß (L x B)	239 x 140 cm	Internal dimensions of shell top (L x W)	94 x 55.4 in
Türöffnung (L x B)	142 x 104 cm	Door opening (L x W)	56 x 41 in
Ladevolumen ^f	Ca. 3,5 m ³	Shipping volume ^f	Approx. 124 cu.ft
Standardgewicht	96 kg	Standard weight	212 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Zertifizierung	Ja	Certification	Yes


AMJ – 10-Fuß-Container | 10-ft container

Verladbar in/Loadable in


B777F (nur Hauptdeck/main deck only)




Außenmaß (L x B x H)	318 x 244 x 244 cm	External dimensions (L x W x H)	125 x 96 x 96 in
Innenmaß (L x B x H)	304 x 231 x 238 cm	Internal dimensions (L x W x H)	119.5 x 91 x 93.7 in
Ladevolumen ^f	Ca. 15 m ³	Shipping volume ^f	Approx. 530 cu.ft
Standardgewicht	260-320 kg	Standard weight	570-705 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes

AMJ – 10-Fuß-Container (feuerresistent) | 10-ft container (fire resistant)**Verladbar in/Loadable in** B777F (nur Hauptdeck/main deck only)

Außenmaß (L x B x H)	318 x 244 x 244 cm	External dimensions (L x W x H)	125 x 96 x 96 in
Innenmaß (L x B x H)	307 x 228 x 238 cm	Internal dimensions (L x W x H)	120.8 x 89.7 x 93.7 in
Ladevolumen ^f	Ca. 16,8 m ³	Shipping volume ^f	Approx. 594 cu.ft
Standardgewicht	288 kg	Standard weight	635 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes


AMP – 10-Fuß-Container | 10-ft container**Verladbar in/Loadable in** B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	318 x 244 x 160 cm	External dimensions (L x W x H)	125 x 96 x 63 in
Innenmaß (L x B x H)	304 x 231 x 154 cm	Internal dimensions (L x W x H)	120 x 91 x 61 in
Türöffnung (L x B)	289 x 149 cm	Door opening (L x W)	113 x 58 in
Ladevolumen ^f	Ca. 10,5 m ³	Shipping volume ^f	Approx. 371 cu.ft
Standardgewicht	292 kg	Standard weight	644 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes

AMX – 10 Fuß container für B777/F Kontur | 10 feet container for B777/F contour**Verladbar in/Loadable in** B777F (nur Hauptdeck/main deck only)

Außenmaß (L x B x H)	318 x 244 x 300 cm	External dimensions (L x W x H)	125 x 96 x 118 in
Innenmaß (L x B x H)	305 x 232 x 287 cm	Internal dimensions (L x W x H)	120 x 91.3 x 112.9 in
Türöffnung (L x B)	306 x 288 cm	Door opening (L x W)	120.4 x 91.7 in
Ladevolumen ¹	19.62 m ³	Shipping volume ¹	692.87 ft ³
Standardgewicht	300 kg	Standard weight	661.4 lbs
Max. Bruttogewicht	6.804 kg	Max gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes

Container | Containers




AVA - LD3 Wertfracht-Container^{a, b, d} | LD3 Valuable Cargo Container^{a, b, d}

Verladbar in/Loadable in **B777/F, B747, B767, B787, A330, A340, A350, A380**


Außenmaß (L x B x H)	157 x 154 x 163 cm	External dimensions (L x W x H)	61.5 x 60.4 x 64 in
Innenmaß (L x B x H)	142 x 139 x 157 cm	Internal dimensions (L x W x H)	55.9 x 54.7 x 62 in
Aufbau Außenmaß (L x B)	201 x 154 cm	External dimensions of shell top (L x W)	79 x 60.4 in
Aufbau Innenmaß (L x B)	195 x 143 cm	Internal dimensions of shell top (L x W)	77 x 55.4 in
Türöffnung (L x B)	141 x 150 cm	Door opening (L x W)	55 x 59 in
Ladevolumen ^f	Ca. 3,8 m ³	Shipping volume ^f	Approx. 134 cu.ft
Standardgewicht	102 kg	Standard weight	224 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Max. Dachlast	275 kg pro Profil	Max. topload	605 lbs per profile
Zertifizierung	Ja	Certification	Yes

DPE - LD2-Container | LD2 container


Verladbar in/Loadable in **B777, B767**



Außenmaß (L x B x H)	154 x 120 x 163 cm	External dimensions (L x W x H)	60.4 x 47 x 64 in
Shell-Top-Maß (L x B)	157 x 154 cm	Dimensions of shell top (L x W)	61.5 x 60.4 in
Türöffnung (L x B)	104 x 150 cm	Door opening (L x W)	41 x 59 in
Ladevolumen ^f	Ca. 3,3 m ³	Shipping volume ^f	Approx. 117 cu.ft
Standardgewicht	69 kg	Standard weight	152 lbs
Max. Bruttogewicht	1.225 kg	Max. gross weight	2,700 lbs
Zertifizierung	Nein	Certification	No


DQF – LD8-Container | LD8 container**Verladbar in/Loadable in** **B767**

Außenmaß (L x B x H)	244 x 154 x 163 cm	External dimensions (L x W x H)	96 x 60.4 x 64 in
Shell-Top-Maß (L x B)	318 x 154 cm	Dimensions of shell top (L x W)	125 x 60.4 in
Türöffnung (L x B)	228 x 149 cm	Door opening (L x W)	90 x 59 in
Ladevolumen ^f	6,58 m ³	Shipping volume ^f	330 cu.ft
Standardgewicht	107-120 kg	Standard weight	236-264 lbs
Max. Bruttogewicht	2.449 kg	Max. gross weight	5,399 lbs
Zertifizierung	Nein	Certification	No

YKE (foldable AKE) – Faltbarer LD3 Container | Foldable LD3 container**Verladbar in/Loadable in****B777/F, B747, B767, B787, A330, A340, A350, A380****In lower deck, a maximum of 9 collapsed ULDs can be stacked on top of each other**

Außenmaß (L x B x H)	157 x 154 x 163 cm	External dimensions (L x W x H)	61.5 x 60.4 x 64 in
Innenmaß (L x B x H)	142 x 139 x 157 cm	Internal dimensions (L x W x H)	56 x 55 x 62 in
Aufbau Außenmaß (L x B)	201 x 154 cm	External dimensions of shell top (L x W)	79 x 60.4 in
Aufbau Innenmaß (L x B)	195 x 140 cm	Internal dimensions of shell top (L x W)	77 x 55.4 in
Türöffnung (L x B)	141 x 150 cm	Door opening (L x W)	55 x 59 in
Ladevolumen ^f	Ca. 3.8 m ³	Shipping volume ^f	Approx. 134 cu.ft
Standardgewicht	96 kg	Standard weight	212 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Zertifizierung	Ja	Certification	Yes

Container | Containers



HMJ – Dreier-Pferde-Container[®] | Triple horse container[®]


Verladbar in/Loadable in **B777F (nur Hauptdeck/main deck only)**

Außenmaß (L x B x H)	310 x 233 x 240 cm	External dimensions (L x W x H)	122 x 92 x 95 in
Innenmaß (L x B x H)	297 x 223 x 226 cm	Internal dimensions (L x W x H)	117 x 87.7 x 89 in
Palettengröße (L x B)	318 x 244 cm	Pallet size (L x W)	125 x 96 in
Rampe (L x B)	153 x 164 cm	Ramp (L x W)	61 x 65 in
Raum für Tierpfleger (L x B)	225 x 70 cm	Groom compartment (L x W)	88 x 27 in
Kapazität	1-3 Pferde	Capacity	1-3 horses
Standardgewicht	Bis 1.195 kg	Standard weight	Up to 2,590 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes


HMJ – Klappbarer Dreier-Pferde-Container[®] | Droptop triple horse container[®]

Verladbar in/Loadable in

Hauptdeck/Main deck: B777F
 Unterdeck/Lower deck: B777/F, B747, B767, B787, A330, A340, A350, A380
 (nur im zugeklappten Zustand [Höhe: 163 cm]/folded only [height: 64 in])



Außenmaß (L x B x H)	310 x 233 x 240 cm	External dimensions (L x W x H)	122 x 92 x 94 in
Innenmaß (L x B x H)	297 x 223 x 226 cm	Internal dimensions (L x W x H)	117 x 87.7 x 89 in
Palettengröße (L x B)	318 x 244 cm	Pallet size (L x W)	125 x 96 in
Rampe vorne (L x B)	132 x 100 cm	Front ramp (L x W)	52 x 39 in
Rampe hinten (L x B)	132 x 120 cm	Back ramp (L x W)	52 x 47 in
Raum für Tierpfleger (L x B)	225 x 78 cm	Groom compartment (L x W)	89 x 31 in
Kapazität	1-3 Pferde	Capacity	1-3 horses
Standardgewicht	1.005 kg	Standard weight	2,216 lbs
Max. Bruttogewicht	6.804 kg	Max. gross weight	15,000 lbs
Zertifizierung	Ja	Certification	Yes



Kleintierkäfige | Pet kennels


Größe 1 (L x B x H)	55 x 40 x 40 cm	Size 1 (L x W x H)	22 x 16 x 16 in
Gewicht	4 kg	Weight	9 lbs
Max. Tiergewicht	15 kg	Max. animal weight	33 lbs
Größe 2 (L x B x H)	75 x 50 x 55 cm	Size 2 (L x W x H)	30 x 20 x 22 in
Gewicht	6 kg	Weight	13 lbs
Max. Tiergewicht	30 kg	Max. animal weight	66 lbs
Größe 3 (L x B x H)	95 x 60 x 70 cm	Size 3 (L x W x H)	37 x 24 x 28 in
Gewicht	13 kg	Weight	29 lbs
Max. Tiergewicht	50 kg	Max. animal weight	110 lbs
Größe 4 (L x B x H)	120 x 70 x 85 cm	Size 4 (L x W x H)	47 x 28 x 33 in
Gewicht	22 kg	Weight	49 lbs
Max. Tiergewicht	60 kg	Max. animal weight	132 lbs

Container | Containers

RAP – Releye Envirotainer Heiz- und Kühlcontainer mit integrierte Live Überwachung / Envirotainer heat and cool container with integrated live monitoring

Verladbar in/Loadable in

B777/F, B747, B767, B787, A330, A340, A350, A380




Außenmaß (L x B x H)	317 x 154 x 163 cm	External dimensions (L x W x H)	125 x 88 x 64 in
Max. Ladedimension (L x B x H)	246 x 203 x 129 cm	Main loading space (L x W x H)	97 x 79.9 x 50.7 in
Effektives Ladevolumen	6,6 m ³	Effective shipping volume	236 cu.ft
Standardgewicht	1.110 kg	Standard weight	2425 lbs
Max. Beladung	4.625 kg	Max. load	7,771 lbs
Max. Bruttogewicht	3.525 kg	Max. gross weight	10,196 lbs
Temperaturspanne	5°C bis 20°C	Temp. operating range	41 °F to 68 °F
Batterien	Wiederaufladbare NiMH-Akkus	Batteries	Rechargeable NiMH batteries
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes


RLP – Releye Envirotainer Heiz- und Kühlcontainer mit integrierte Live Überwachung | Envirotainer heat and cool container with integrated live monitoring

Verladbar in/Loadable in


Hauptdeck/Maindeck: B747/F, A321/F (nur wenn seitliches Beladen möglich ist/only if lateral loading is possible)
 Unterdeck/Lowerdeck: A330, A340, A350, A380, B747, B777/F, B767, B787



Außenmaß (L x B x H)	318 x 153 x 163 cm	External dimensions (L x W X H)	125 x 60,39 x 64.02 in
Innenmaß (L x B X H)	245 x 135 x 132 cm	Internal dimensions (L x W X H)	96.73 x 53.31 x 51.97 in
Türöffnung (L x B)	135,4 x 132 cm	Door opening (L x W)	53.31 x 51.97 in
Ladevolumen ¹	4,4 cm ³	Shipping volume	156 ft ³
Standardgewicht	880 kg	Standard weight	1,940 lbs
Max. Bruttogewicht	3.175 kg	Max gross weight	6,999 lbs
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Temperaturspanne	set point +5°C (+/- 2°C) set point +20°C (+/- 3°C)	Temp. operating range	41F (+/- 3.6°F) and 68F (+/- 5.4F)
Datenaufzeichnung	Ja	Data recording	Yes
Zertifizierung	Ja	Certification	Yes
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes

RAP – CSafe RAP (LD9) Heiz- und Kühlcontainer | CSafe RAP (LD9) Heating and cooling container

Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	317 x 224 x 163 cm	External dimensions (L x W x H)	125 x 88 x 64 in
Innenmaß (L x B x H) ^e	247 x 208 x 129 cm	Internal dimensions (L x W x H) ^e	97.5 x 82 x 51 in
Effektives Ladevolumen	6,68 m ³	Effective shipping volume	236 cu.ft
Standardgewicht	1.213 kg	Standard weight	2,675 lbs
Max. Beladung	4.819 kg	Max. load	10,625 lbs
Max. Bruttogewicht	6.033 kg	Max. gross weight	13,300 lbs
Trockeneisbunker	Nein	Dry ice bunker	No
Temperaturspanne	+4 °C bis +25 °C	Temp. operating range	39 °F to 77 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargables accumulators
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No


RKN – CSafe RKN (LD3) Heiz- und Kühlcontainer | CSafe RKN (LD3) Heating and Cooling container

Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	201 x 154 x 163 cm	External dimensions (L x W x H)	77.3 x 59.3 x 63.6 in
Innenmaß (L x B x H) ^e	121 x 127 x 127 cm	Internal dimensions (L x W x H) ^e	48 x 50.1 x 50.3 in
Effektives Ladevolumen	2,0 m ³	Effective shipping volume	70 cu.ft
Standardgewicht	646 kg	Standard weight	1,425 lbs
Max. Beladung	941 kg	Max. load	2,075 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Trockeneisbunker	Nein	Dry ice bunker	No
Temperaturspanne	+4 °C bis +25 °C	Temp. operating range	39 °F to 77 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargables accumulators
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No

Container | Containers

RAP – Envirotainer RAP-e2 Heiz- und Kühlcontainer | Envirotainer RAP-e2 heat and cool container


Verladbar in/Loadable in **B777/F, B747, B767, B787, A330, A340, A350, A380**




Außenmaß (L x B x H)	318 x 224 x 163 cm	External dimensions (L x W x H)	125 x 88 x 64 in
Innenmaß (L x B x H)	243 x 203 x 124 cm	Internal dimensions (L x W x H)	95.6 x 79.9 x 48.8 in
Effektives Ladevolumen	6,38 m ³	Effective shipping volume	225 cu.ft
Standardgewicht	1.100 kg	Standard weight	2,425 lbs
Max. Beladung	4.933 kg	Max. load	10,875 lbs
Max. Bruttogewicht	6.033 kg	Max. gross weight	13,300 lbs
Trockeneisbunker	Kein Trockeneis erforderlich	Dry ice bunker	No dry ice required
Temperaturspanne	0 °C bis +25 °C	Temp. operating range	32 °F to 77 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargeables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes

RKN – Envirotainer RKN-e1 Heiz- und Kühlcontainer | Envirotainer RKN-e1 heat and cool container


Verladbar in/Loadable in **B777/F, B747, B767, B787, A330, A340, A350, A380**



Außenmaß (L x B x H)	200 x 154 x 163 cm	External dimensions (L x W x H)	78.7 x 60.4 x 63.8 in
Innenmaß (L x B x H)	133 x 131 x 131 cm	Internal dimensions (L x W x H)	52.3 x 51.9 x 51.7 in
Effektives Ladevolumen	2,3 m ³	Effective shipping volume	81.9 cu.ft
Standardgewicht	635 kg	Standard weight	1,400 lbs
Max. Beladung	953 kg	Max. load	2,100 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Trockeneisbunker	Kein Trockeneis erforderlich	Dry ice bunker	No dry ice required
Temperaturspanne	0 °C bis +20 °C	Temp. operating range	32 °F to 68 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargeables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes

RAP – Envirotainer RAP-t2 Kühlcontainer | Envirotainer RAP-t2 refrigerated cool container

Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	318 x 224 x 163 cm	External dimensions (L x W x H)	125 x 88 x 64 in
Innenmaß (L x B x H)	251 x 205 x 139 cm	Internal dimensions (L x W x H)	98.8 x 80.7 x 54.7 in
Effektives Ladevolumen	8,22 m ³	Effective shipping volume	290 cu.ft
Standardgewicht	450 kg	Standard weight	992 lbs
Max. Beladung	5.583 kg	Max. load	12,308 lbs
Max. Bruttogewicht	6.033 kg	Max. gross weight	13,300 lbs
Trockeneisbunker	300 kg	Dry ice bunker	660 lbs
Temperaturspanne	-20 °C bis +20 °C	Temp. operating range	-4 °F to 68 °F
Batterien	Angetrieben durch 16 Batterien (Alkaline, Größe D)	Batteries	Powered by 16 batteries (alkaline D-size)
Datenaufzeichnung	Nein	Data recording	No
Heizmöglichkeiten	Nein	Heating capabilities	No
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes


RKN – Envirotainer RKN-t2 Kühlcontainer | Envirotainer RKN-t2 refrigerated cool container

Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	199 x 153 x 162 cm	External dimensions (L x W x H)	78.3 x 60.2 x 63.7 in
Max. Ladedimension (L x B x H)	139 x 134 x 134 cm	Main loading space (L x W x H)	54.7 x 52.7 x 52.7 in
Effektives Ladevolumen	2,93 m ³	Effective shipping volume	103 cu.ft
Standardgewicht	265 kg	Standard weight	584 lbs
Max. Beladung	1.323 kg	Max. load	2,916 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Trockeneisbunker	180 kg	Dry ice bunker	397 lbs
Temperaturspanne	-20 °C bis +20 °C	Temp. operating range	-4 °F to 68 °F
Batterien	Angetrieben durch 16 Batterien (Alkaline, Größe D)	Batteries	Powered by 16 batteries (alkaline D-size)
Datenaufzeichnung	Nein	Data recording	No
Heizmöglichkeiten	Nein	Heating capabilities	No
Ladeeinschränkungen	Ja	Restrictions on aircraft loading positions	Yes

Container | Containers

RAP – Opticooler RAP (LD9) Heiz- und Kühlcontainer | Opticooler RAP (LD9) heat and cool container


Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380



Außenmaß (L x B x H)	318 x 224 x 161 cm	External dimensions (L x W x H)	125 x 88 x 63 in
Max. Ladedimension (L x B x H) ^e	246 x 202 x 132 cm	Main loading space (L x W x H) ^e	96.8 x 79.6 x 51.9 in
Effektives Ladevolumen	6,57 m ³	Effective shipping volume	232 cu.ft
Standardgewicht	1.100 kg	Standard weight	2,425 lbs
Max. Beladung	4.953 kg	Max. load	10,919 lbs
Max. Bruttogewicht	6.033 kg	Max. gross weight	13,300 lbs
Trockeneisbunker	Kein Trockeneis erforderlich	Dry ice bunker	No dry ice required
Temperaturspanne	+2 °C bis +30 °C	Temp. operating range	36 °F to 86 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargeables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No


RKN – Opticooler RKN (LD3) Heiz- und Kühlcontainer | Opticooler RKN (LD3) heat and cool container

Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380



Außenmaß (L x B x H)	201 x 154 x 163 cm	External dimensions (L x W x H)	79 x 60 x 64 in
Max. Ladedimension (L x B x H)	125 x 122 x 123 cm	Main loading space (L x W x H)	49.2 x 48 x 48.4 in
Effektives Ladevolumen ^f	1,88 m ³	Loading volume, effective ^f	66 cu.ft
Standardgewicht	632 kg	Standard weight	1,393 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Einstellbarer Temperaturbereich	+2 °C bis +30 °C	Set temperature range	+36 °F to +86 °F
Umgebungstemperaturbereich	-30 °C bis +50 °C	Ambient temperature range	-22 °F to +122 °F
Zertifizierung	Ja	Certification	Yes
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargeables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No


RAP – Unicooler RAP (LD9) Heiz- und Kühlcontainer | Unicooler RAP (LD9) heat and cool container



Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	317 x 223 x 162 cm	External dimensions (L x W x H)	124.8 x 88 x 64 in
Max. Ladedimension (L x B x H) ^e	275 x 202 x 137 cm	Main loading space (L x W x H) ^e	108 x 79.6 x 54 in
Effektives Ladevolumen	7,1 m ³	Effective shipping volume	250 cu.ft
Standardgewicht	796 kg	Standard weight	1,755 lbs
Max. Beladung	5.237 kg	Max. load	11,546 lbs
Max. Bruttogewicht	6.033 kg	Max. gross weight	13,300 lbs
Trockeneisbunker	320 kg	Dry ice bunker	705 lbs
Temperaturspanne	-20 °C bis +30 °C	Temp. operating range	-4 °F to 86 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No


RKN – Unicooler RKN (LD3) Heiz- und Kühlcontainer | Unicooler RKN (LD3) heat and cool container



Verladbar in/Loadable in B777/F, B747, B767, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	201 x 154 x 163 cm	External dimensions (L x W x H)	79 x 60 x 64 in
Max. Ladedimension (L x B x H) ^e	122 x 117 x 117 cm	Main loading space (L x W x H) ^e	48 x 46 x 46 in
Effektives Ladevolumen	1,65 m ³	Effective shipping volume	49 cu.ft
Standardgewicht	444 kg	Standard weight	979 lbs
Max. Beladung	1.144 kg	Max. load	2,522 lbs
Max. Bruttogewicht	1.588 kg	Max. gross weight	3,500 lbs
Trockeneisbunker	120 kg	Dry ice bunker	265 lbs
Temperaturspanne	-20 °C bis +30 °C	Temp. operating range	-4 °F to 86 °F
Batterien	Fest installierte Akkumulatoren	Batteries	Built-in rechargables
Datenaufzeichnung	Ja	Data recording	Yes
Heizmöglichkeiten	Ja	Heating capabilities	Yes
Ladeeinschränkungen	Nein	Restrictions on aircraft loading positions	No

Container | Containers



AKP – Sonoco passiver Kühlcontainer mit integrierter Live-Überwachung/ Sonoco passive cool ULD with integrated live monitoring

Verladbar in/Loadable in

Unterdeck/Lower Deck: B777/F, B747, B787, A330, A340, A350, A380

Außenmaß (L x B x H)	156 x 153 x 163 cm	External dimensions (L x W x H)	61.5 x 60.4 x 64 in
Innenmaß (L x B x H)	121 x 101 x 121 cm	Internal dimensions (L x W x H)	48 x 40 x 48 in
Türöffnung (B x H)	122 x 102 cm	Door opening (L x H)	48 x 40 in
Ladevolumen ¹	15,18 m ³	Shipping volume	53.33 ft ³
Standardgewicht	590 kg	Standard weight	1,300 lbs
Max. Bruttogewicht	998 kg	Max gross weight	2,200 lbs
Zertifizierung	Ja	Certification	Yes

^{*} Alle Werte sind abgerundet / All values are rounded

^{**} Herstellerbedingt sind leichte Abweichungen der angegebenen Werte möglich / Slight deviations from the indicated values are possible due to the manufacturer

^a Hanging-Garment-fähig / Hanging garment compatible

^b Verschießbar für Wertsachen / Lockable for valuable cargo

^c Geschlossen, mit Raum für Begleiter / Closed, with space for attendant

^d Mit fester Tür / With rigid door

^e Von Abstandhalter zu Abstandhalter / From spacer to spacer

^f Effektives Ladevolumen geringer / Effective shipping volume reduced



ensa Cargo

D-ALFF

991



Anmerkung: Alle von Lufthansa Cargo zur Verfügung gestellten Kapazitäten auf unterschiedlichem Fluggerät (LH, OS, SN, 4Y) sind durch die Darstellung auf den folgenden Seiten abgedeckt.

Note: All capacities provided by Lufthansa Cargo on different aircraft (LH, OS, SN, 4Y) can be found on the following pages.



Flotte | Fleet
Seiten | Pages 23-32

Flotte | Fleet



Boeing 777F

Hauptdeck¹ Main deck¹			
27 Positionen	244 x 318 cm	27 positions	96 x 125 in
Seitliche Cargo-Tür (H x B)	305 x 372 cm	Side cargo door (H x W)	120 x 142 in
Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 244 x 318 cm oder 18 LD3-Container	Forward compartment	6 positions, max. 96 x 125 in or 18 LD3 containers
Tür vorderer Laderaum (H x B)	170 x 269 cm	Forward-compartment door (H x W)	66 x 105 in
Hinterer Laderaum	versch. Kombinationen möglich, z.B. 3 Positionen max. 244 x 318 cm oder 14 LD3-Container oder 4 Positionen 224 x 318 cm	Aft compartment	various combinations possible, e.g. 3 positions max. 96 x 125 in or 14 LD3 containers or 4 positions max. 88 x 125 in
Tür hinterer Laderaum (H x B)	170 x 269 cm	Aft-compartment door (H x W)	66 x 105 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	114 x 91 cm	Bulk-compartment door (H x W)	44 x 35 in
Ladehöhe* Loading height*			
Hauptdeck	Max. 300 cm	Main deck	Max. 118 in
Unterdeck	Max. 163 cm	Lower deck	Max. 64 in
Standard-Ladefähigkeit²	103.000 kg	Cargo capacity²	227,075 lbs



Airbus 321F

Hauptdeck¹ Main deck¹			
14 Positionen	224 x 318 x 208 cm	14 positions	88 x 125 x 82 in (AAY, PAG/PAJ)
Seitliche Cargo-Tür (H x B)	213 x 364 cm	Side cargo door (H x W)	83 x 143 in
Unterdeck¹ Lower deck¹			
10 Positionen	153 x 156 x 116 cm	10 positions	60 x 61 x 45 in (AKH, PKC)
Maximale Höhe	116 cm	Max. height	45 in
Tür vorderer und hinterer Laderaum (H x B)	119 x 182 cm	Forward- and Aft-compartment door (H x W)	46 x 71 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	78 x 93 cm	Bulk-compartment door (H x W)	30 x 36 in
Ladehöhe* Loading height*			
Hauptdeck	Max. 208 cm	Main deck	Max. 82 in
Unterdeck	Max. 116 cm	Lower deck	Max. 45 in
Standard-Ladefähigkeit²	28.000 kg	Cargo capacity²	61,729 lbs

Boeing 747-8



Unterdeck¹ | Lower deck¹

Vorderer Laderaum	7 Positionen max. 244 x 318 cm oder 22 LD3-Container	Forward compartment	7 positions, max. 96 x 125 in or 22 LD3 containers
Tür vorderer Laderaum (H x B)	167 x 279 cm	Forward-compartment door (H x W)	65 x 110 in
Hinterer Laderaum	5 Positionen max. 244 x 318 cm oder 16 LD3-Container	Aft compartment	5 positions, max. 96 x 125 in or 16 LD3 containers
Tür hinterer Laderaum (H x B)	167 x 264 cm	Aft-compartment door (H x W)	65 x 103 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	94 x 112 cm	Bulk-compartment door (H x W)	37 x 44 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladefähigkeit²	16.920 kg	Cargo capacity²	37,302 lbs

Boeing 747-400



Unterdeck¹ | Lower deck¹

Vorderer Laderaum	5 Positionen max. 244 x 318 cm oder 16 LD3-Container	Forward compartment	5 positions, max. 96 x 125 in or 16 LD3 containers
Tür vorderer Laderaum (H x B)	167 x 264 cm	Forward-compartment door (H x W)	65 x 103 in
Hinterer Laderaum	4 Positionen max. 224 x 318 cm oder 14 LD3-Container	Aft compartment	4 positions, max. 88 x 125 in or 14 LD3 containers
Tür hinterer Laderaum (H x B)	167 x 264 cm	Aft-compartment door (H x W)	65 x 103 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	119 x 111 cm	Bulk-compartment door (H x W)	46 x 43 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladefähigkeit²	11.590 kg	Cargo capacity²	25,397 lbs

* Höhe inklusive ULD und Ladehilfsmittel | height including ULD and loading accessories


¹ Alle Angaben in L x B (soweit nicht anders angegeben) | All specifications in L x W (unless otherwise stated)

² Abhängig von Route, Wetter, Anzahl Passagiere, Gepäck, Postfracht, Catering-Material etc. | Depending on routing, weather conditions, number of passengers, baggage, mail, catering material, etc.



Airbus 380-800

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	5 Positionen max. 244 x 318 cm oder 16 LD3-Container	Forward compartment	5 positions, max. 96 x 125 in or 16 LD3 containers
Tür vorderer Laderaum (H x B)	172 x 283 cm	Forward-compartment door (H x W)	67 x 111 in
Hinterer Laderaum	6 Positionen max. 244 x 318 cm oder 16 LD3-Container	Aft compartment	6 positions, max. 96 x 125 in or 16 LD3 containers
Tür hinterer Laderaum (H x B)	168 x 251 cm	Aft-compartment door (H x W)	66 x 98 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	100 x 113 cm	Bulk-compartment door (H x W)	39 x 44 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladepazität²	11.370 kg	Cargo capacity²	25,066 lbs



Airbus 350-900

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 244 x 318 cm oder 20 LD3-Container	Forward compartment	6 positions, max. 96 x 125 in or 20 LD3 containers
Tür vorderer Laderaum (H x B)	176 x 291 cm	Forward-compartment door (H x W)	69 x 115 in
Hinterer Laderaum	5 Positionen max. 244 x 318 cm oder 16 LD3-Container	Aft compartment	5 positions, max. 96 x 125 in or 16 LD3 containers
Tür hinterer Laderaum (H x B)	175 x 285 cm	Aft-compartment door (H x W)	69 x 112 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	76 x 163 cm	Bulk-compartment door (H x W)	29 x 37 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladepazität²	15.120 kg	Cargo capacity²	33,333 lbs



Airbus 330-200**/300

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 318 x 244 cm oder 18 LD3-Container	Forward compartment	6 positions, max. 125 x 96 in or 18 LD3 containers
Tür vorderer Laderaum (H x B)	169 x 244 cm	Forward-compartment door (H x W)	66 x 96 in
Hinterer Laderaum	4 Positionen max. 318 x 244 cm oder 14 LD3-Container	Aft compartment	4 positions, max. 125 x 96 in or 14 LD3 containers
Tür hinterer Laderaum (H x B)	168 x 244 cm	Aft-compartment door (H x W)	66 x 96 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	63 x 95 cm	Bulk-compartment door (H x W)	24 x 37 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladefähigkeit²	14.510 kg	Cargo capacity²	31,989 lbs

** operated by 4Y



Boeing 787-9

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 244 x 318 cm oder 20 LD3-Container	Forward compartment	6 positions, max. 96 x 125 in or 20 LD3 containers
Tür vorderer Laderaum (H x B)	170 x 269 cm	Forward-compartment door (H x W)	67 x 106 in
Hinterer Laderaum	5 Positionen max. 244 x 318 cm oder 16 LD3-Container	Aft compartment	5 positions, max. 96 x 125 in or 16 LD3 containers
Tür hinterer Laderaum (H x B)	170 x 269 cm	Aft-compartment door (H x W)	67 x 106 in
Tür Laderaum 5	114 x 102 cm	Door Compartment 5	45 x 40 in
Tür Bulk-Laderaum (H x B)	102 x 114 cm	Bulk-compartment door (H x W)	40 x 45 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Ladevolumen	70 m ³	Cargo volume	43 in ³
Standard-Ladefähigkeit²	60.395 kg	Capacity of hold²	133.148 lbs

* Höhe inklusive ULD und Ladehilfsmittel | height including ULD and loading accessories

¹ Alle Angaben in L x B (soweit nicht anders angegeben) | All specifications in L x W (unless otherwise stated)

² Abhängig von Route, Wetter, Anzahl Passagiere, Gepäck, Postfracht, Catering-Material etc. | Depending on routing, weather conditions, number of passengers, baggage, mail, catering material, etc.



Airbus 340-600

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	8 Positionen max. 244 x 318 cm oder 24 LD3-Container	Forward compartment	8 positions, max. 96 x 125 in or 24 LD3 containers
Tür vorderer Laderaum (H x B)	169 x 244 cm	Forward-compartment door (H x W)	66 x 96 in
Hinterer Laderaum	2 Positionen max. 224 x 318 cm oder 6 LD3-Container	Aft compartment	2 positions, max. 88 x 125 in or 6 LD3 containers
Tür hinterer Laderaum (H x B)	168 x 244 cm	Aft-compartment door (H x W)	66 x 96 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	63 x 95 cm	Bulk-compartment door (H x W)	24 x 37 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladepazität²	14.390 kg	Cargo capacity²	31,724 lbs



Airbus 340-300

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 244 x 318 cm oder 18 LD3-Container	Forward compartment	6 positions, max. 96 x 125 in or 18 LD3 containers
Tür vorderer Laderaum (H x B)	168 x 244 cm	Forward-compartment door (H x W)	66 x 96 in
Hinterer Laderaum	4 Positionen max. 244 x 318 cm oder 14 LD3-Container	Aft compartment	4 positions, max. 96 x 125 in or 14 LD3 containers
Tür hinterer Laderaum (H x B)	166 x 244 cm	Aft-compartment door (H x W)	65 x 96 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	63 x 95 cm	Bulk-compartment door (H x W)	24 x 37 in
Ladepazität	3.468 kg	Capacity of hold	7,645 lbs
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladepazität²	12.460-15.840 kg	Cargo capacity²	27,469-34,921 lbs



Airbus 321-100/200

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	5 Positionen 156 x 153 cm	Forward compartment	5 positions, 61.5 x 60.4 in
Tür vorderer Laderaum (H x B)	119 x 182 cm	Forward-compartment door (H x W)	46 x 71 in
Hinterer Laderaum	5 Positionen 156 x 153 cm	Aft compartment	5 positions, 61.5 x 60.4 in
Tür hinterer Laderaum (H x B)	119 x 182 cm	Aft-compartment door (H x W)	46 x 71 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	78 x 93 cm	Bulk-compartment door (H x W)	30 x 36 in
Ladehöhe*	Max. 116 cm	Loading height*	Max. 45 in
Standard-Ladefähigkeit²	630-1.400 kg	Cargo capacity²	1,388-3,086 lbs



Airbus 320-200/NEO

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	3 Positionen 156 x 153 cm	Forward compartment	3 positions, 61.5 x 60.4 in
Tür vorderer Laderaum (H x B)	119 x 182 cm	Forward-compartment door (H x W)	46 x 71 in
Hinterer Laderaum	4 Positionen 156 x 153 cm	Aft compartment	4 positions, 61.5 x 60.4 in
Tür hinterer Laderaum (H x B)	119 x 182 cm	Aft-compartment door (H x W)	46 x 71 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	78 x 93 cm	Bulk-compartment door (H x W)	30 x 36 in
Ladehöhe*	Max. 116 cm	Loading height*	Max. 45 in
Standard-Ladefähigkeit²	260-620 kg	Cargo capacity²	573-1,366 lbs

* Höhe inklusive ULD und Ladehilfsmittel | height including ULD and loading accessories

¹ Alle Angaben in L x B (soweit nicht anders angegeben) | All specifications in L x W (unless otherwise stated)

² Abhängig von Route, Wetter, Anzahl Passagiere, Gepäck, Postfracht, Catering-Material etc. | Depending on routing, weather conditions, number of passengers, baggage, mail, catering material, etc.



Airbus 319-100

Unterdeck ¹ Lower deck ¹			
Vorderer Laderaum	Nur lose Ladung	Forward compartment	Loose cargo only
Tür vorderer Laderaum (H x B)	124 x 182 cm	Forward-compartment door (H x W)	48 x 71 in
Hinterer Laderaum	Nur lose Ladung	Aft compartment	Loose cargo only
Tür hinterer Laderaum (H x B)	124 x 182 cm	Aft-compartment door (H x W)	48 x 71 in
Ladehöhe*	Max. 119 cm	Loading height*	Max. 46 in
Standard-Ladepazität²	1.780-1.920 kg	Cargo capacity ²	3,924-4,232 lbs



Embraer 195/190

Unterdeck ¹ Lower deck ¹			
Vorderer Laderaum	Nur lose Ladung	Forward compartment	Loose cargo only
Tür vorderer Laderaum (H x B)	90 x 110 cm	Forward-compartment door (H x W)	35 x 43 in
Hinterer Laderaum	Nur lose Ladung	Aft compartment	Loose cargo only
Tür hinterer Laderaum (H x B)	78/87 x 99 cm	Aft-compartment door (H x W)	30/34 x 38 in
Standard-Ladepazität²	660-1.630 kg	Cargo capacity ²	1,445-3,593 lbs



Bombardier CR900

Unterdeck ¹ Lower deck ¹			
Vorderer Laderaum	Nur lose Ladung	Forward compartment	Loose cargo only
Tür vorderer Laderaum (H x B)	50 x 106 cm	Forward-compartment door (H x W)	48 x 71 in
Hinterer Laderaum	Nur lose Ladung	Aft compartment	Loose cargo only
Tür hinterer Laderaum (H x B)	50 x 106 cm	Aft-compartment door (H x W)	48 x 71 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk Laderaum (H x B)	84 x 109 cm	Bulk-compartment door (H X W)	33 x 42.9 in
Standard-Ladepazität²	600 kg	Cargo capacity ²	1,322 lbs



Boeing 777-200

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	6 Positionen max. 244 x 318 cm oder 18 LD3/DPE-Container	Forward compartment	6 positions, max. 96 x 125 in or 18 LD3/DPE containers
Tür vorderer Laderaum (H x B)	170 x 269 cm	Forward-compartment door (H x W)	66 x 105 in
Hinterer Laderaum	14 LD3/DPE-Container	Aft compartment	14 LD3/DPE containers
Tür hinterer Laderaum (H x B)	170 x 179 cm	Aft-compartment door (H x W)	66 x 70 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	121 x 90 cm	Bulk-compartment door (H x W)	47 x 35 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladefähigkeit²	13.900 kg	Cargo capacity²	30,644 lbs



Boeing 767-300

Unterdeck¹ Lower deck¹			
Vorderer Laderaum	4 Positionen max. 244 x 318 cm oder 16 DPE-Container oder 8 DQF/LD3-Container	Forward compartment	4 positions, max. 96 x 125 in or 16 DPE containers or 8 DQF/LD3 containers
Tür vorderer Laderaum (H x B)	167 x 264 cm	Forward-compartment door (H x W)	65 x 103 in
Hinterer Laderaum	14 DPE-Container oder 7 DQF/LD3-Container	Aft compartment	14 DPE containers or 7 DQF/LD3 containers
Tür hinterer Laderaum (H x B)	167 x 264 cm	Aft-compartment door (H x W)	65 x 103 in
Laderaum 5	Nur lose Ladung	Compartment 5	Loose cargo only
Tür Bulk-Laderaum (H x B)	119 x 111 cm	Bulk-compartment door (H x W)	46 x 43 in
Ladehöhe*	Max. 163 cm	Loading height*	Max. 64 in
Standard-Ladefähigkeit²	10.400 kg	Cargo capacity²	22,928 lbs

* Höhe inklusive ULD und Ladehilfsmittel | height including ULD and loading accessories

¹ Alle Angaben in L x B (soweit nicht anders angegeben) | All specifications in L x W (unless otherwise stated)

² Abhängig von Route, Wetter, Anzahl Passagiere, Gepäck, Postfracht, Catering-Material etc. | Depending on routing, weather conditions, number of passengers, baggage, mail, catering material, etc.

